



Water-Data Report 2006

394922074563301 Local number 070412 Elm Tree 2 Obs NJ Permit Number 31-09560

Northern Atlantic Coastal Plain aquifer system
Magothy-Raritan-Potomac Aquifer System, Lower Aquifer

Camden County, NJ

LOCATION.--Lat 39°49'22", long 74°56'30" referenced to North American Datum of 1927, Voorhees Township, Camden County, NJ, Hydrologic Unit 02040202, about 200 ft northeast of Thomas Rd. and about 2 mi northwest of Berlin.

GROUND-WATER RECORDS

WELL CHARACTERISTICS.--Depth 1,092 ft. Upper casing diameter 6 in; top of first opening 1,082 ft, bottom of last opening 1,092 ft. Drilled artesian observation well.

DATUM.--Land-surface datum is 148.68 ft above National Geodetic Vertical Datum of 1929. Measuring point: Top of shelf, 2.8 ft above land-surface datum, Dec. 1, 1984, to present.

PERIOD OF RECORD.--Mar. 1964 to current year.

GAGE.--Water-level recorder--60-minute recording interval. Water-level extremes recorder, Mar. 1977 to Dec. 1984. Periodic measurements, June 1975 to Mar. 1977. Water-level recorder, July 1965 to June 1975. Periodic measurements, Feb. 1964 to July 1965.

REMARKS.--Well was originally screened 1,217 to 1,227 ft; rehabilitated Aug. 1969.

EXTREMES FOR PERIOD OF RECORD.--Highest water level, 142.28 ft below land surface, Mar. 3, 1964; lowest, 233.08 ft below land surface, Sept. 16, 1995.

Water-Data Report 2006

394922074563301 Local number 070412 Elm Tree 2 Obs NJ Permit Number 31-09560—Continued

DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
DAILY MEAN VALUES

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	206.34	203.49	200.59	200.21	196.85	194.78	194.01	196.77	198.96	199.28	203.24	204.58
2	206.32	203.26	200.61	199.89	196.65	194.61	194.11	196.59	198.96	199.42	204.15	204.30
3	206.69	203.08	200.21	199.58	196.36	194.55	194.25	196.34	199.12	199.63	204.89	204.16
4	206.98	203.04	200.13	199.54	196.18	194.53	194.30	196.46	199.00	199.65	205.36	204.03
5	206.77	202.74	200.33	199.53	195.94	194.45	193.96	196.65	199.00	199.57	205.65	204.02
6	206.68	202.53	200.55	199.34	196.21	194.43	193.95	196.85	199.00	199.08	205.67	203.91
7	206.35	202.61	200.79	199.18	196.11	194.50	194.26	197.20	198.66	198.95	205.17	203.66
8	205.43	202.42	200.51	199.15	195.90	194.44	194.37	197.42	198.42	199.23	204.84	203.47
9	205.30	202.17	200.27	199.24	195.83	194.25	194.51	197.45	198.17	199.43	205.25	203.43
10	205.26	202.09	200.54	199.26	195.83	194.13	194.62	197.36	198.29	199.62	205.27	203.78
11	205.60	201.85	200.35	199.24	195.98	194.29	194.46	197.24	198.12	199.77	204.73	204.08
12	205.53	201.44	200.53	200.06	195.78	194.29	194.45	196.72	198.20	199.95	204.43	204.26
13	205.40	201.10	200.99	199.72	195.95	194.16	194.29	196.76	198.23	200.18	204.67	204.05
14	205.06	200.99	201.38	199.17	195.97	193.76	194.29	196.95	198.40	200.29	204.89	203.38
15	204.79	201.44	201.38	199.01	196.05	193.75	194.02	197.00	198.40	200.36	204.86	202.91
16	205.11	201.54	201.60	198.71	195.93	193.73	194.49	196.82	198.59	200.59	205.07	202.62
17	205.11	201.01	201.98	198.51	195.80	193.95	194.61	196.33	199.14	201.63	205.41	202.28
18	205.20	200.48	201.69	198.11	195.85	194.10	194.68	196.35	199.45	202.12	205.74	201.98
19	206.04	200.18	201.31	198.17	195.84	194.04	194.88	196.27	199.84	201.97	205.92	201.77
20	205.99	199.84	201.39	198.05	195.56	194.08	195.15	196.48	200.42	201.87	206.01	201.72
21	205.76	199.83	201.71	197.91	195.34	193.95	195.60	196.65	200.81	201.96	206.44	201.76
22	205.19	199.65	201.76	197.97	195.43	194.01	195.64	197.01	200.94	201.99	206.90	201.70
23	204.91	199.74	201.43	197.53	195.38	194.02	195.36	197.17	201.06	201.68	207.29	201.54
24	204.91	199.39	201.30	197.31	195.28	194.07	195.50	197.37	201.11	201.55	207.35	201.42
25	204.62	199.43	201.31	197.14	194.62	193.95	195.79	197.45	200.84	201.90	206.85	201.46
26	204.38	199.11	200.75	197.27	194.43	193.81	196.06	197.44	200.31	202.19	206.62	201.50
27	204.26	198.96	200.89	197.26	194.67	193.89	196.06	197.70	199.75	202.95	205.98	201.48
28	204.13	199.02	200.90	197.05	194.79	193.93	196.31	197.98	199.22	202.81	205.20	201.37
29	203.96	199.14	200.15	197.36	---	193.95	196.57	198.15	199.26	202.22	204.93	201.36
30	204.00	199.90	199.87	197.30	---	193.99	196.67	198.44	199.22	202.34	204.79	201.47
31	203.85	---	199.98	196.95	---	194.06	---	198.74	---	202.87	204.74	---
Mean	205.35	201.05	200.88	198.54	195.73	194.14	194.91	197.10	199.30	200.87	205.43	202.78
Max	206.98	203.49	201.98	200.21	196.85	194.78	196.67	198.74	201.11	202.95	207.35	204.58
Min	203.85	198.96	199.87	196.95	194.43	193.73	193.95	196.27	198.12	198.95	203.24	201.36

Water Year 2006	
Mean	199.71
High	193.73
Low	207.35

